

Personnal Protective Equipment

Harness

Fall arrest harness



REF : 100001

Basic : occasional use
 Harness BASIC 2 points (dorsal + sternal)

Fall arrest harness



REF : 101698 (Size 1)

REF : 101715 (Size 2)

Harness + jacket NEWTON EASYFIT

- Comfortable (regular use)
- Self-locking buckles
- 2 equipment buckles
- Option Jack = preformed jacket

Fall arrest harness



REF : 100003 (Size 1)

REF : 101714 (Size 2)

Harness NEWTON

- Comfortable (regular use)
- Self-locking buckles
- 2 equipment buckles
- Option Jack = preformed jacket

Fall arrest harness



REF : 102063

Harness 2 points + jacket

Work positioning harness



REF : 100002

Harness for positioned work
 (dorsal + sternal + positioning belt)

Suspended work harness



REF : 100005

AVAHO BOD FAST

- Harness for suspended work
- Work positioning
- Semi-rigid belt
- Foam-lined thigh band
- 3 equipment buckles
- Self-locking buckles

Lanyard

Lanyard + absorber



REF : 100014

Elasticated webbing lanyard 2 m + quick connect buckle

REF : 100013

Elasticated webbing lanyard 2 m

Double elastic lanyard + Absorber




REF : 100016

Twin leg elasticated webbing lanyard 2 m + quick connect buckle

REF : 100015

Twin leg elasticated webbing lanyard 2 m

Lanyard + absorber



REF : 100017

Simple lanyard 80cm

REF : 100018

Simple lanyard 150cm


REF : 100019

Twin leg lanyard 80 cm

REF : 100020

Twin leg lanyard 150 cm

Positioning lanyard



REF : 100033

Positioning lanyard 2 m + double action carabiner

REF : 100034

Positioning lanyard 4 m + double action carabiner

Anchor

Strap anchor



REF : 100007

Strap anchor ring 80 cm

REF : 100008

Strap anchor ring 120 cm

Forged steel D-tip



REF : 100011

Fixed connection 100 cm

REF : 100012

Vario connection from 80 to 130 cm

Ancrage élingue




REF : 100009

Anchor point sling cable 1 m

REF : 101463

Anchor point sling cable 2 m

Ancrage IPN



REF : 100010

Adjustable mobile IPN anchor

Temporary lifelines

Bag




REF : 100064

PVC bag PVC Ø 30 cm x 60 cm / 40 L

REF : 100065

PVC bag PVC Ø 40 cm x 80 cm / 100 L

Mobile fall arrester



REF : 100022

Mobile fall arrester on 10 m rope + absorber

REF : 100023

Mobile fall arrester on 15 m rope + absorber

REF : 100024

Mobile fall arrester on 20 m rope + absorber

Temporary lifeline



REF : 100059

Horizontal temporary lifeline, length 20 m.

Users: 2

Can be used with 100 cm fixed connections as end anchors

REF : 100011

Fixed connection 100 cm



Temporary lifeline



REF : 100060

Grillon horizontal temporary lifeline, 10 m

REF : 100061

Grillon horizontal temporary lifeline, 15 m

REF : 100062

Grillon horizontal temporary lifeline, 20 m

Retractable fall arrester

Vertical and horizontal use



REF : 102064

Retractable fall arrester (6 m cable)

REF : 102065

Retractable fall arrester (12 m cable)

REF : 102066

Retractable fall arrester (24 m cable)


Automatically controlled descent



REF : 102327

Retractable fall arrester with automatic descent control (18 m cable)

Use at a maximum of 40°



REF : 100028

Retractable fall arrester (6 m cable)

REF : 100029

Retractable fall arrester (15 m cable)

Vertical and horizontal use



REF : 100030

Retractable fall arrester (7 m cable)

Retractable fall arrester


Horizontal and vertical use



REF : 102067
Retractable fall arrester 3.5 m strap


REF : 102069
Retractable fall arrester 9 m strap

Horizontal and vertical use



REF : 102068
Retractable fall arrester 2 m double strap

Use at a maximum of 30°



REF : 100032
Retractable fall arrester 2.25 m strap

Retractable fall arrest accessories



REF : 102071
4 mm cord to bring the carabiner to the user.



REF : 102161
PVC protection for fall arresters with automatic return

Connectors

Steel carabiner



REF : 100040
Zinc-plated steel auto-locking carabiner



REF : 100039
Zinc-plated steel carabiner with ferrule

Sternal use



REF : 100043
Auto-locking carabiner
OMNI



REF : 100044
Carabiner with ferrule

ZYCRAL



REF : 100042
Zicral auto-locking carabiner



REF : 100041
Zicral carabiner with ferrule

Important opening



REF : 100045
Auto-locking carabiner
Opening: 27 mm **WILLIAM**



REF : 100046
Carabiner with ferrule

Connectors

High load capacity



VULCAN

REF : 100047

Zinc-plated steel Vulcan carabiner, opening 30 mm
Maximum load: 40 Kn

Double pulley



TANDEM

REF : 100051

Double pulley to be used on an overhead lifeline system.

Auto-locking



REF : 100048

Connect buckle carabiner (opening 50mm)

REF : 100049

Connect buckle carabiner (opening 60mm)

Winch




REF : 100052

Aluminium telescopic tripod

REF : 102070

20m Cable winch with pulley



Poles




REF : 100053
Pole 7.85 m

REF : 101126
Hanger hook



REF : 100055
Anchor carabiner opening (75 mm)



REF : 101126
Pole hook

REF : 100054
Hook for extension cord



REF : 100056 + 100054
Option: Pole extension with special hook.
Length: 1 m

Helmets



REF : 101208
 Helmet Mouse work white 385 g
 Size M (52-63)



REF : 100058
 Helmet with anti-shock deformation and low temperature standards



Fall levels:

Level 0 :



The anchor point is located above the user.
 The lanyard is taut to prevent acceleration during a fall.

Level 1 :



The anchor point is located at the harness height.
 During a fall, the acceleration takes place over a length of about the length of a lanyard (max 2 m).

Level 2 :



The anchor point is located at the user's feet.
 During a fall, the acceleration takes place over a length of about 2 times the lanyard.

Types of securing:

